




flowtoys

capsule 2.0 :: flowOS 2.0

modes * adjust * kinetics

page 1


1



rainbow

adjust :: density
kinetic trigger :: low force
response :: rainbow speed
runtime :: 6 hr

6



water

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 4 static, 8 kinetic


2



rainbow drops

adjust :: density
kinetic trigger :: low force
response :: rainbow speed
runtime :: 11 hr

7



earth

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 7 static, 6 kinetic


3



bold

adjust :: hue, saturation
kinetic triggers :: variable & zeroG
responses :: brightness
runtime* :: 7 static, 2 kinetic


8



air

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 9 static, 5 kinetic


4



lantern

adjust :: hue, brightness
kinetic :: n/a
runtime :: 4 hr

9



spirit

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 13 static, 10 kinetic


5



fire

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 4 static, 6 kinetic

10



pulse

adjust :: hue
kinetic triggers :: low & high force
responses :: effect, pulse
runtime* :: 10 static, 3 kinetic

Adjust affects 1 to 2 parameters in a mode:

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtime is based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.




flowtoys

capsule 2.0 :: flowOS 2.0

modes * adjust * kinetics

page 2


1



candy

adjust :: saturation
kinetic trigger :: low force
response :: activate effect
runtime :: 6 hr


6



microdots

adjust :: saturation
kinetic trigger :: low force
response :: activate effect
runtime* :: 9+ static, 13 kinetic


2



petals

adjust :: saturation & density
kinetic :: n/a
runtime :: 14+ hr


7



unicorn

adjust :: rainbow brightness
kinetic trigger :: low force
response :: activate effect
runtime* :: 9+ static, 5+ kinetic


3



love

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & saturation
runtime* :: 7 static 5+ kinetic


8



blue blazer

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 6+ hr


4



watermelon

adjust :: hues
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 13 static, 5+ kinetic


9



solar flare

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 10+ static, 3 kinetic


5



freedom

adjust :: hues
kinetic triggers :: low force & zeroG
responses :: effect & saturation
runtime* :: 6+ static, 4 kinetic

10



strobe

adjust :: hue
kinetic trigger :: variable force
response :: hue shift
runtime :: 13 hr

Adjust affects 1 to 2 parameters in a mode:

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtimes are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.




flowtoys

capsule 2.0 :: flowOS 2.0

modes * adjust * kinetics

page 3


1



flamebow

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 7+ hr


6



froth

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & saturation
runtime* :: 6+ static, 3+ kinetic


2



alicorn

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 9+ static, 2+ kinetic


7



jammin

adjust :: hues
kinetic triggers :: low & high force
responses :: effect & speed
runtime* :: 3 static, 10+ kinetic

3



liquid sugar

adjust :: saturation
kinetic triggers :: low & high force
responses :: effect & saturation
runtime* :: 7 static, 2 kinetic


8



bolder

adjust :: hue, brightness
kinetic :: n/a
runtime :: 3+ hr

4



rainbow dash

adjust :: density
kinetic trigger :: low force
response :: activate effect
runtime* :: 6+ static, 5+ kinetic


9



sunset

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 4+ hr

5



fireball

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 10+ static, 3+ kinetic

10



daybreak

adjust :: hue
kinetic trigger :: variable force
response :: hue shift
runtime* :: 6+ static, 4+ kinetic

Adjust affects 1 to 2 parameters in a mode:

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtimes are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.



flowtoys


capsule 2.0 :: flowOS 2.0

bonus modes * adjust * kinetics

secret/experimental page 13

1

fireball purps



adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 6+ hr

6


slow fade



adjust :: hue & randomize speed
kinetic :: n/a
runtime :: 5 hr

2


gold



adjust :: n/a
kinetic triggers :: high force & zero G
responses :: brightness & hue shift
runtime* :: 9+ static 1+ kinetic

7


party petals



adjust :: density
kinetic triggers :: low & high force
responses :: brightness inc & dec
runtime* :: 16+ static 5+ kinetic

3


watery purps



adjust :: n/a
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 10+ static, 3+ kinetic

8


petalsy



adjust :: hue
kinetic triggers :: low & high force
responses :: effect & hue blending
runtime* :: 5+ static, 8+ kinetic

4


pretty blips



adjust :: hue
kinetic triggers :: low force & zero G
responses :: effect & pause on color
runtime* :: 6+ static, 3+ kinetic

9

americish



adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 7+ hr

5


candle



adjust :: hue
kinetic triggers :: medium force
responses :: brightness decrease
runtime* :: 3+ static, 21+ kinetic

10

ghost



adjust :: hue & saturation
kinetic triggers :: med force & zero G
responses :: brightness increase
runtime* :: 21+ static 2+ kinetic

Adjust affects 1 to 2 parameters in a mode:

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtimes are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.




capsule 2.0 :: flowOS 2.0

bonus modes * adjust * kinetics

secret/experimental page 13

11



cotton candy

adjust :: hue
kinetic triggers :: variable & high force
responses :: hue shift
runtime :: 7+ hr


16



mr. bones

adjust :: density
kinetic :: n/a
runtime :: 5+ hr


12



toon time

adjust :: hue shift
kinetic trigger :: low force
response :: activate effect
runtime :: 7+ hr


17



unicorn farts

adjust :: rainbow blip density
kinetic trigger :: low force
response :: brightness increase
runtime* :: 21+ static, 9+ kinetic


13



nice blips

adjust :: n/a
kinetic triggers :: low & high force
responses :: effect & brightness
runtime* :: 16+ static, 2+ kinetic


18



thing1

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 5+ static, 8+ kinetic


14



leprechaun's delight

adjust :: hues
kinetic triggers :: medium force
responses :: brightness & hue shift
runtime* :: 5+ static, 13+ kinetic


19



hidden rainbow

adjust :: saturation
kinetic triggers :: med force & zero G
responses :: saturation/ rainbow reveal
runtime* :: 3+ static, 7+ kinetic


15



wild berry

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime :: 13 hr

20



thing2

adjust :: hue
kinetic triggers :: low & high force
responses :: effect & hue shift
runtime* :: 3+ static, 13+ kinetic

Adjust affects 1 to 2 parameters in a mode.

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtimes are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.



flowtoys

capsule 2.0 :: flowOS 2.0

bonus modes * adjust * kinetics

secret/experimental page 13

21

good morning

adjust :: hue
kinetic triggers :: variable & zero G
responses :: brightness & saturation
runtime* :: 21+ static, 5+ kinetic

26

thing4

adjust :: hue
kinetic trigger :: variable force
response :: hue shift
runtime :: 5+ hr

22

thing3

adjust :: hue
kinetic trigger :: low force
response :: activate effect
runtime* :: 5 static, 9+ kinetic

27

thing5

adjust :: hue
kinetic triggers :: high force & zero G
responses :: rainbow decays
runtime* :: 3+ static, 10+ kinetic

23

sorcerer

adjust :: hue
kinetic triggers :: variable & zero G
responses :: brightness & saturation
runtime* :: 21+ static, 2+ kinetic

28

white to color

adjust :: hue
kinetic triggers :: variable & zero G
responses :: saturation & color reveal
runtime* :: 6+ static, 3+ kinetic

24

rgb kinetic

adjust :: hue
kinetic triggers :: variable & zero G
responses :: hue shift in diff directions
runtime :: 5+ hr

29

alt spirit

adjust :: hue
kinetic trigger :: variable force
response :: hue shift
runtime* :: 13 static, 7+ kinetic

25

phasers

adjust :: hue
kinetic trigger :: variable force
response :: hue shift
runtime* :: 9+ hr

30

juggling ball exp 1

adjust :: hue
kinetic trigger :: zero G
response :: hue shift
runtime :: 4+ hr

Adjust affects 1 to 2 parameters in a mode.

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

*Runtimes are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.




flowtoys

capsule 2.0 :: flowOS 2.0

bonus modes * adjust * kinetics

secret/experimental page 13

31



juggling ball exp 2


adjust :: hue

kinetic trigger :: high force (catches)

response :: saturation increase

runtime* :: 4+ static, 5+ kinetic

32



juggling ball exp 3

adjust :: hue

kinetic triggers :: high force & zero G

responses :: sat dec & brightness inc

runtime* :: 10+ static, 1+ kinetic

33



thing6


adjust :: hue

kinetic trigger :: low force

response :: activate effect

runtime* :: 3+ static, 10+ kinetic

34



phase in


adjust :: hue

kinetic triggers :: low force

responses :: effect & brightness inc

runtime* :: 16+ static, 10+ kinetic

35-50



repeats 19-34

repeats due to memory restrictions
50 modes to match vision props

Adjust affects 1 to 2 parameters in a mode:

In some cases, it's just 1 parameter, e.g. hue.

In some, adjust affects 2 parameters simultaneously, e.g. hue & saturation.

In many 2-color modes, the hue of one color adjusts at a different speed from the other color to enable you to get any combination of colors.

Length of adjust cycles vary: some are just 30 secs long, some are a few minutes long as different effects or color combinations are revealed.

***Runtimes** are based on default brightness level, and can vary greatly depending on whether your capsule is moving. We indicate both static and kinetic runtimes where there is a significant difference.

Kinetic Awareness 2.0 enables motion responses with varying rates of buildup & decay.

Motion responses are triggered by various amounts of force and types of movement:

Low force

Medium force

High force/bumps

Variable - effect changes based on amt. of force

ZeroG e.g. stalls, floats

Some modes have 2 levels of kinetic triggers, where e.g. low force might activate the effect, and high force creates a pulse.

These pics just show a snapshot in time - many modes & adjust change over time. Enjoy!

Photos are taken with capsule light in a pod shell.